ELSEVIER

Volume 292 Numbers 1–2, 15 November 1999

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Phase relations in the Fe-rich region of the Nd–Fe–V system at room temperature L1
G.Y. Huo (Beijing and Baoding, P.R. China), Z.Y. Qiao, G.H. Rao, X.L. Chen (Beijing, P.R. China), J.K. Liang (Beijing and Shengyang, P.R. China)

Effects of surface modification by chemical filing on the redox behavior of a ceria–zirconia mixed oxide L8
T. Masui, T. Ozaki, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Physics

Crystal structure, magnetic and electrical properties of $ZrNi_2In$ and $ZrCu_2In$ 1
V. Zaremba (Lviv, Ukraine), D. Kaczorowski (Wroclaw, Poland), L.D. Gulaj, Ya.M. Kalychak (Lviv, Ukraine), J. Stepien-Damm (Wroclaw, Poland)

Refinements of the TiNiSi-type RMnSi (R=Tb, Lu, Sc) and DyCoSi structures from single crystal X-ray diffraction 4
I. Ijjaali, R. Welter, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Magnetism and transport properties of $Hf_{1-x}Ta_xFe_2$ and $Mn_{2-x}Cr_xSb$ 11
Y. Nagata, T. Hagii, S. Yashiro (Tokyo, Japan), H. Samata (Kobe, Japan), S. Abe (Yokohama, Japan)

Magnetic properties of $RPdGe_2$ (R=Y, Gd, Tb, Dy) compounds 21
D. Schmitt, B. Ouladdiaf (Grenoble, France), Ch.D. Routsi, J.K. Yakinthos (Xanthi, Greece), H. Gamari-Seale (Aghia Paraskevi Attiki, Greece)

Thermal diffusivity and thermal conductivity of MgSc alloys 27
A. Rudajevová (Praha, Czech Republic), F. von Buch, B.L. Mordike (Clausthal-Zellerfeld, Germany)

Interatomic distances in the stable and metastable bcc and omega structures of the transition metals: analysis of experimental and theoretical trends and correlations with Pauling's bond lengths 31
G. Aurelio, A. Fernández Guillermet (Bariloche, Argentina)

Magnetic properties of $Dy_2Co_{17-x}Si_x$ compounds 38
L. Zhang (Amsterdam, The Netherlands and Guangzhou, P.R. China), D.C. Zeng (Guangzhou, P.R. China), Y.N. Liang (Amsterdam, The Netherlands and Guangzhou, P.R. China), J.C.P. Klaasse, E. Brück (Amsterdam, The Netherlands), Z.Y. Liu (Guangzhou, P.R. China), F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

Magnetic structures of $Tb_2Co_3Si_5$ and $Dy_2Co_3Si_5$ compounds 45
M. Kolenda (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), B. Penc, P. Starowicz, A. Szytula (Kraków, Poland)

Magnetic properties of crystalline and amorphous $GdCo_2H_x$ hydrides 51
N.V. Mushnikov (Ekaterinburg, Russia and Tokyo, Japan), T. Goto (Ekaterinburg, Russia), V.S. Gaviko, N.K. Zajkov (Tokyo, Japan)

Chemistry

Ni-doped versus undoped $Mg–MgH_2$ materials for high temperature heat or hydrogen storage 57
B. Bogdanović (Mülheim an der Ruhr, Germany), H. Hofmann (Düsseldorf, Germany), A. Neuy, A. Reiser, K. Schlichte, B. Spliethoff, S. Wessel (Mülheim an der Ruhr, Germany)

Single crystal growth and characterization of a new bismuth indium niobate compound, $Bi_5In_2Nb_3O_{18-x}$ 72
Z. Zou, J. Ye (Ibaraki, Japan)

Composition and structure of a new palladate $Ca_{4-1.5x}Au_xPd_4O_8$ (x~0.54) synthesized at high pressure 77
Y. Wang, D. Walker, B.A. Scott (New York, NY, USA)

A new $Mg_{0.9}Y_{0.1}Ni$ hydride forming composition obtained by mechanical grinding 84
C. Lenain, L. Aymard, L. Dupont, J.-M. Tarascon (Amiens, France)

Growth of $M_xGa_{2/3(1-x)}Cr_2Se_4$ (M=Cd, Zn) single crystals by chemical vapour transport and their crystal structure 90
I. Okonska-Kozlowska, E. Malicka (Kratowice, Poland), R. Nagel, H.D. Lutz (Siegen, Germany)

Elsevier Science S.A.

Finely divided platinum–gold alloy powders prepared in ethylene glycol 96
K. Tekaia-Elhsissen, F. Bonet, P.-Y. Silvert (Amiens, France), R. Herrera-Urbina (Hermosillo, Sonora, Mexico)

Potentiometric determination of stabilities of $NiSb_2O_4$ and $NiSb_2O_6$ 100
K. Swaminathan, O.M. Sreedharan (Kalpakkam, India)

Preparation and structural, thermal and hydriding characteristics of melt-spun Mg–Ni alloys 107
G. Friedlmeier, M. Arakawa, T. Hirai (Ibaraki, Japan), E. Akiba (Tokyo, Japan)

Novel lanthanoid–cadmium oxide pnictides with the tetragonal LaOAgS structure 118
D.O. Charkin, P.S. Berdonosov, V.A. Dolgikh (Moscow, Russia), P. Lightfoot (Andrews, UK)

Thermoelectric properties of the intermediate valent cerium intermetallic $Ce_2Ni_3Si_5$ doped with Pd, Co, and Cu 124
K.J. Proctor, K.A. Regan, A. Littman, F.J. DiSalvo (Ithaca, NY, USA)

Metallurgy

Regularities of formation of ternary intermetallic compounds Part 4. Ternary intermetallic compounds between two nontransition elements and one transition element 129
C. Nianyi, C. Ruiliang, L. Wencong, L. Chonghe (Shanghai, China), P. Villars (Vitznau, Switzerland)

SANS measurements of deuteride (hydride) formation in single crystal Pd 134
B.J. Heuser (Urbana, IL, USA), J.S. King (Ann Arbor, MI, USA), W.C. Chen (Urbana, IL, USA)

Thermodynamics of solid Au–Sr alloys 148
R.A. Alqasmi (Al-Ain, United Arab Emirates)

Synthesis and crystal structure of Ca_3Au_4 152
P.F. Henry, M.T. Weller (Southampton, UK)

Thermodynamic properties of liquid, undercooled liquid and amorphous Al–Cu–La–Ni alloys 156
S.H. Zhou, F. Sommer (Stuttgart, Germany)

Quarternary $Gd_3Ti_2MnSi_3$ compound in the $GdMn_{1-x}Ti_xSi$ ($x=0 \ldots 1$) section of Gd-Mn-Ti-Si system at 1073 K 162
A.V. Morozkin (Moscow, Russia)

Materials Science

Effects of mechanical grinding on the hydrogen storage and electrochemical properties of $LaNi_5$ 166
S. Corré (Osaka, Japan and Grenoble, France), M. Bououdina (Grenoble, France and Ibaraki, Japan), N. Kuriyama (Ibaraki, Japan), D. Fruchart (Grenoble, France), G.-y. Adachi (Osaka, Japan)

The effect of the third-element addition on the fatigue properties of mechanically alloyed Al–Ti alloys 174
B.J. Kim, K.I. Moon, K.S. Lee (Seoul, South Korea)

Temperature dependence of β-phase transformation in Cu added Fe_2Si_5 thermoelectric material 181
I. Yamauchi, T. Nagase, I. Ohnaka (Osaka, Japan)

Characteristics of mixed hydrogen storage electrode 191
S.H. Ye, X.P. Gao, J. Liu, W.H. Wang, H.T. Yuan, D.Y. Song, Y.S. Zhang (Tianjin, P.R. China)

Investigation on the synthesis, characterization and hydrogenation behaviour of new Mg-based composite materials Mg–x wt.% $MmNi_{4.6}Fe_{0.4}$ prepared through mechanical alloying 194
D.J. Davidson, S.S. Sai Raman, O.N. Srivastava (Varanasi, India)

On the synthesis, characterization and hydrogenation behaviour of Mg-based composite materials Mg-x wt.% $CFMmNi_5$ prepared through mechanical alloying 202
S.S. Sai Raman, D.J. Davidson, O.N. Srivastava (Varanasi, India)

Influence of nitrogenation on structure development and magnetic properties of mechanically alloyed and annealed Sm–Fe powders 212
A. Teresiak, M. Kubis, N. Mattern, M. Wolf, W. Gruner, K.-H. Müller (Dresden, Germany)

On the reaction between aluminium, K_2TiF_6 and KBF_4 221
N. El-Mahallawy, M.A. Taha (Cairo, Egypt), A.E.W. Jarfors, H. Fredriksson (Stockholm, Sweden)

Crystal lattice expansion of nanocrystalline materials 230
W. Qin (Hunan and Guangxi, People's Republic of China), Z.H. Chen, P.Y. Huang (Hunan, People's Republic of China), Y.H. Zhuang (Guangxi, People's Republic of China)

Volume expansion and Curie temperature enhancement in rare earth–iron based nitrides with $TbCu_7$ structure 233
J. Hu (Jinan, P.R. China), K. Wang, Y. Wang, B. Hu, Z. Wang (Beijing, P.R. China)

Annealing treatment of AB_2-type hydrogen storage alloys: I. crystal structures 236
Q.A. Zhang, Y.Q. Lei, X.G. Yang, K. Ren, Q.D. Wang (Hangzhou, People's Republic of China)

Annealing treatment of AB_2-type hydrogen storage alloys: II. Electrochemical properties 241
Q.A. Zhang, Y.Q. Lei, X.G. Yang, K. Ren, Q.D. Wang (Hangzhou, P.R. China)

Catalytic effect of transition metals on hydrogen sorption in nanocrystalline ball milled MgH_2–Tm (Tm=Ti, V, Mn, Fe and Ni) systems 247
G. Liang, J. Huot, S. Boily, A. Van Neste, R. Schulz (Quebec, Canada)

Magnetic properties and magnetic domains of Fe-rich Sm–Fe–Cu–Ga–C nanocomposite magnets 253
S.-y. Zhang, H.-w. Zhang, Z.-g. Sun, B.-s. Han, B.-g. Shen (Beijing, China), T. Zhao, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

The activation characteristics of a Zr-based hydrogen storage alloy electrode surface-modified by ball-milling process 258
S.M. Lee, H. Lee, J.S. Yu (Taejon, South Korea), G.A. Fateev (Minsk, Byelorussia), J.Y. Lee (Taejon, South Korea)

The effect of density on the corrosion of NdFeB magnets 266
G. Yan, A.J. Williams, J.P.G. Farr, I.R. Harris (Birmingham, UK)

Hydrogen absorption and desorption behavior of Zr-based amorphous alloys with a large structurally relaxed amorphous region 275
T. Shoji, A. Inoue (Sendai, Japan)

Effects of variable Au/Cu ratio and Ga content on the ordering rate in Au–Cu and Au–Cu–Ga alloys 281
R. Ouchida, S. Matsuya, T. Shiraishi, M. Nakagawa, M. Ohta, Y. Terada (Fukuoka, Japan)

Hydrogen evolution from cathodically charged Ti_3Al-based titanium aluminium alloy 287
A. Takasaki (Saitama, Japan), Y. Furuya (Nagasaki, Japan)

Neutron diffraction study of lixiviated nanocrystalline Mg–Li compound 292
J. Huot (Varennes, PQ, Canada), I.P. Swainson (Chalk River, ON, Canada), R. Schulz (Varennes, PQ, Canada)

$Nd_2(Fe,Co,M)_{14}B$-type magnet powders produced by the HDDR process 296
M. Jurczyk, J. Jakubowicz (Poznan, Poland), B. Gebel, A. Handstein, O. Gutfleisch, K.-H. Müller (Dresden, Germany)

Structural and surface characterizations of nanocrystalline Pt–Ru alloys prepared by high-energy ball-milling 301
G. Lalande, M.C. Denis, D. Guay, J.P. Dodelet, R. Schulz (Varennes, Québec, Canada)

Corrigendum

Corrigendum to: "Synthesis and structure determination of the first ternary cadmium hydride, Cs_3CdH_5" [J. Alloys Comp. 285 (1999) 119–121] 311
M. Bortz (Genève, Switzerland), M. Gutmann (Villigen, Switzerland), K. Yvon (Genève, Switzerland)

Author Index of Volume 292 312

Subject Index of Volume 292 313

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**